




France AJ Materials








Import & Export









CONCRETE IRON SAUDI ARABIA


Concrete iron price SAUDI ARABIA. Available to be exported immediately from Saudi ARABIA we deliver iron concrete to Saudi ARABIA with the best price per ton. If you currently want to order rebar from Saudi ARABIA then contact us. Your concrete iron supplier at your disposal to deliver to any port you want

No	Image	Name	Description
1		Make concrete	Diameter: 6-50 mm Length: 12m or 6m or according to customer choice
2		Steel sheet – black sheet – steel plate – flat sheet	Length: 2000 to 12000 mm Width: 1000 to 2500 mm Thickness: 1.5 to 25 mm
3		IPE steel profile IPE beam	Height: 80 to 750 mm Width: 46 to 250 mm Core Thickness: 3.8 to 14.4 mm Wing Thickness: 5.2 to 21.6 mm Length: 6m or according to customer choice
4		Steel square tube	Length: 6m or according to customer choice Width: 10 to 120 mm Height: 10 to 120 mm Thickness: 0.8 to 8 mm
5		HEA steel beam HEA profile	Height: 96 to 990 mm Width: 100 to 300 mm Core thickness: 5 to 16.5 mm Wing thickness: 8 to 31 mm Length: 12m or according to customer choice

6		Concrete iron diameter 12 mm	Diameter: 12mm Length: 12m or 6m or according to customer choice Weight (kg/m): 0.89 kg/m
7		IPN steel – Iron I	Height: 80 to 600 mm Width: 42 to 215 mm Core thickness: 3.9 to 21.6 mm Wing thickness: 5.9 to 32.4 mm Length: 6m or according to customer choice
8		Rectangular steel tube	Length: 6m or according to customer choice Width: 10 to 80 mm Height: 20 to 100 mm Thickness: 0.8 to 6 mm
9		Round steel tube	Length: 6m or according to customer choice Diameter: Ø 10 to 355 mm Thickness: 0.8 to 13 mm
10		UPN iron U-shaped steel profile – steel U-shaped profile	Width: 40 to 400 mm Height: 20 to 102 mm Thickness: 4 to 13 mm Length: 6m or according to customer choice
11		Iron T – steel T profile	Length: 6m or according to customer choice Height: 20 to 100 mm Width: 20 to 100 mm Thickness: 3 to 11 mm
12		Teardrop sheet metal – ribbed sheet metal	Length: 2000 to 12000 mm Width: 1000 to 2500 mm Thickness: 0.1 to 25 mm

13		Concrete iron diameter 8 mm	Diameter: 8mm Length: 12m or 6m or according to customer choice Weight (kg/m): 0.40 kg/m
14		Steel angle – metal angle	Length: 6m or according to customer choice Height: 25 to 140 mm Width: 25 to 140 mm Thickness: 3 to 16 mm
15		Concrete iron diameter 6 mm	Diameter: 6mm Length: 12m or 6m or according to customer choice Weight (kg/m): 0.22 kg/m
16		Concrete iron diameter 10 mm	Diameter: 10mm Length: 12m or 6m or according to customer choice Weight (kg/m): 0.62 kg/m
17		HEB profile HEB steel beam	Height: 100 to 1000 mm Width: 100 to 300 mm Core thickness: 6 to 19 mm Wing thickness: 10 to 36 mm Length: 12m or according to customer choice
18		Flat steel flat iron	Length: 6m or according to customer choice Width: 10 mm to 200 mm Thickness: 3 to 40 mm
19		Full steel round tube	Length: 6m or according to customer choice Diameter: Ø6 to 140 mm Lamination: Hot

20		Concrete round Concrete round price	Length: 6mm or according to customer choice Diameter: 6 to 50 mm
21		Concrete iron diameter 14 mm	Diameter: 14mm Length: 12m or 6m or according to customer choice Weight (kg/m): 1.21 kg/m
22		Concrete iron diameter 20 mm	Diameter: 20mm Length: 12m or 6m or according to customer choice Weight (kg/m): 2.47 kg/m
23		Solid square iron	Length: 1m or 6m or according to customer choice Width: 6 to 250 mm Height: 6 to 250 mm
24		Concrete iron diameter 32 mm	Diameter: 32mm Length: 12m or 6m or according to customer choice Weight (kg/m): 6.31 kg/m
25		Rebar – reinforcing bar for reinforced concrete	Length: 6m or according to customer choice Diameter: 6 to 50 mm
26		Iron wire: steel wire, barbed wire	Diameter: 0.5 to 6 mm / ... 50 mm Material: Steel / Iron
27		Concrete iron diameter 16 mm	Diameter: 16mm Length: 12m or 6m or according to customer choice Weight (kg/m): 1.58 kg/m

28		Concrete iron diameter 50 mm	Diameter: 50mm Length: 12m or 6m or according to customer choice Weight (kg/m): 15.41 kg/m
29		Concrete iron diameter 18 mm	Diameter: 18mm Length: 12m or 6m or according to customer choice Weight (kg/m): 2.00 kg/m
30		Concrete iron diameter 30 mm	Diameter: 30mm Length: 12m or 6m or according to customer choice Weight (kg/m): 5.55 kg/m
31		Overhead Crane Rail	
32		GB Standard Heavy Crane Rail Sizes	